

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

COTTAGE
GARDENS
COMPANY
INCORPORATED

NURSERIES



Revised Price List

FALL, 1926
and
SPRING, 1927



QUEENS VILLAGE, LONG ISLAND
NEW YORK

EVERGREENS

| | <i>Size</i> | <i>Price</i> |
|--|-----------------|----------------|
| ABIES—Brachyphylla | 4-5 ft. | \$6.00 |
| | 6-7 ft. | 10.00 |
| | 10-12 ft. | 25.00 |
| ABIES—Concolor | 3-4 ft. | 6.00 |
| | 5-6 ft. | 10.00 |
| | 6-8 ft. | 15.00 to 25.00 |
| ABIES—Douglasi | 3-4 ft. | 4.00 |
| | 4-5 ft. | 7.50 |
| | 5-6 ft. | 10.00 |
| | 8-10 ft. | 15.00 to 25.00 |
| ABIES—Douglasi glauca | 3-4 ft. | 7.50 |
| | 5-6 ft. | 12.00 |
| | 7-8 ft. | 25.00 |
| ABIES—Nordmanniana | 3-4 ft. | 6.00 |
| | 5-6 ft. | 15.00 |
| | 8 ft. | 25.00 |
| ABIES—Veitchi | 2½-3 ft. | 3.00 |
| | 3-4 ft. | 5.00 |
| | 5-6 ft. | 10.00 |
| BIOTA—Aurea Conspicua | 2½-3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |
| | 12 in. | 2.00 |
| BIOTA—Aurea Nana | 15 in. | 2.50 |
| | 18 in. | 3.50 |
| | 20-24 in. | 5.00 |
| BIOTA—Elegantissima | 2½-3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |
| BIOTA—Orientalis | 2 ft. | 2.00 |
| | 2½-3 ft. | 3.00 |
| | 4 ft. | 5.00 |
| | 5 ft. | 7.50 |
| | 6-8 ft. | 10.00-15.00 |
| CEDARS—Cedrus Atlantica Glauca | 10 ft. | 25.00 |
| | 12-15 ft. | 50.00 |
| | 5 ft. | 10.00 |
| CEDARS—Cedrus Deodara | 3 ft. | 5.00 |
| CRYPTOMERIA—Lobbi Compacta | 4 ft. | 7.50 |
| | 5-6 ft. | 10.00 |
| | 8 ft. | 25.00 |
| | 8-9 ft. | 35.00 |
| | Specimens | 50.00-75.00 |
| CYPRESS—Cupressus Hollandia | 3 ft. | 5.00 |
| | 4 ft. | 10.00 |
| CYPRESS—Cupressus Lawsoniana | 3 ft. | 5.00 |
| | 4 ft. | 10.00 |
| CYPRESS—Cupressus Nutkaensis | 1½-2 ft. | 3.00 |
| | 2½-3 ft. | 5.00 |
| | 1-1½ ft. spread | 2.50 |
| JUNIPERUS—Canadensis | 2 ft. spread | 5.00 |
| | 1 ft. spread | 2.00 |
| JUNIPERUS—Canadensis Aurea | 1½ ft. spread | 3.50 |
| | 2 ft. spread | 5.00 |
| | 2½ ft. | 5.00 |
| JUNIPERUS—Chinensis Foemina | 3 ft. | 7.50 |
| | 4 ft. | 10.00 |
| | 1½-2 ft. | 3.50 |
| JUNIPERUS—Chinensis Argentea Variegata | 2-2½ ft. | 5.00 |
| | 3 ft. | 7.50 |
| JUNIPERUS—Chinensis Columnaris | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |
| JUNIPERUS—Chinensis Columnaris Viridis | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |

| | Size | Price |
|--------------------------------------|-----------------|-------------|
| JUNIPERUS—Chinensis Fortunei | 3 ft. | \$5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |
| JUNIPERUS—Chinensis Meyeri | 9-12 in. | 3.00 |
| | 12-15 in. | 5.00 |
| | 18-24 in. | 7.50 |
| JUNIPERUS—Chinensis Sargentii | 1 ft. spread | 2.50 |
| | 1½ ft. spread | 5.00 |
| | 2 ft. spread | 7.50 |
| JUNIPERUS—Chinensis Virginalis | 9-12 in. spread | 2.50 |
| | 15 in. spread | 3.50 |
| | 18 in. spread | 5.00 |
| JUNIPERUS—Communis Hibernica (Irish) | 2 ft. | 2.00 |
| | 2½ ft. | 3.00 |
| | 3 ft. | 5.00 |
| JUNIPERUS—Communis Suecica (Swedish) | 2 ft. | 2.00 |
| | 2½ ft. | 3.00 |
| | 3 ft. | 5.00 |
| JUNIPERUS—Excelsa Stricta | 12 in. | 2.00 |
| | 15 in. | 2.50 |
| | 18 in. | 3.50 |
| | 24 in. | 5.00 |
| JUNIPERUS—Kosteriana | 2½ ft. | 7.50 |
| | 1-1½ ft. spread | 2.00 |
| | 1½-2 ft. spread | 3.50 |
| | 2½ ft. spread | 5.00 |
| JUNIPERUS—Pfitzeriana | Specimens | 10.00-25.00 |
| | 1½ ft. | 2.50 |
| | 2-2½ ft. | 5.00 |
| JUNIPERUS—Sabina | 2½-3 ft. | 7.50 |
| | Specimens | 10.00-25.00 |
| | 1-1½ ft. | 2.00 |
| JUNIPERUS—Sabina Prostrata | 2-2½ ft. | 5.00 |
| | 1 ft. spread | 2.00 |
| JUNIPERUS—Sabina Tamariscifolia | 1½ ft. spread | 5.00 |
| | 1 ft. spread | 2.50 |
| JUNIPERUS—Virginiana (Red) | 1½ ft. spread | 5.00 |
| | 2 ft. spread | 7.50 |
| | 2½-3 ft. | 2.50 |
| JUNIPERUS—Virginiana Cannarti | 4 ft. | 5.00 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| JUNIPERUS—Virginiana Glauca | 5-6 ft. | 10.00 |
| | 2 ft. | 3.50 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| JUNIPERUS—Virginiana Leei | 5-6 ft. | 10.00 |
| | 8-10 ft. | 15.00-25.00 |
| | 2½-3 ft. | 5.00 |
| | 3-4 ft. | 10.00 |
| PICEA—Alba | 2½-3 ft. | 3.50 |
| | 3-4 ft. | 5.00 |
| | 4-5 ft. | 7.50 |
| PICEA—Albertiana Conica Glauca | 2½ ft. | 10.00 |
| | 3 ft. | 15.00 |
| | 4 ft. | 25.00 |
| PICEA—Engelmanni Glauca | 1½ ft. | 3.00 |
| | 2-2½ ft. | 5.00 |
| | 2½-3 ft. | 7.50 |
| PICEA—Excelsa | 2½ ft. | 3.00 |
| | 3-4 ft. | 5.00 |
| | 4-5 ft. | 7.50 |
| PICEA—Excelsa Gregoriana | 1 ft. | 5.00 |
| | 1½ ft. | 7.50 |
| PICEA—Excelsa Maxwelli (diameter) | 1 ft. | 5.00 |
| PICEA—Excelsa Procumbens | 2½-3 ft. spread | 10.00 |
| | 3-4 ft. spread | 15.00 |

| | Size | Price |
|-----------------------------------|-----------------|--------------|
| PICEA—Omorika | 2½-3 ft. | \$5.00 |
| | 3-4 ft. | 7.50 |
| PICEA—Orientalis | 2½ ft. | 3.50 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |
| | Specimens | 25.00-50.00 |
| PICEA—Pungens | 2 ft. | 5.00 |
| | 3 ft. | 7.50 |
| | 4 ft. | 10.00 |
| PICEA—Pungens Glauca Kosteriana | 1½ ft. | 5.00 |
| | 2 ft. | 7.50 |
| | 3 ft. | 10.00 |
| PINUS—Austriaca | 2½-3 ft. | 3.50 |
| | 3-4 ft. | 5.00 |
| | 4-5 ft. | 7.50 |
| PINUS—Cembra | 1½-2 ft. | 3.00 |
| | 2½-3 ft. | 5.00 |
| | 3½-4 ft. | 7.50 |
| PINUS—Koraiensis | 4-5 ft. | 7.50 |
| | 5-6 ft. | 10.00 |
| PINUS—Mughus | 1 ft. spread | 2.50 |
| | 2 ft. spread | 5.00 |
| | 2½ ft. spread | 7.50 |
| PINUS—Parviflora Glauca | 6-7 ft. | 15.00 |
| | 7-8 ft. | 20.00 |
| PINUS—Resinosa | 3 ft. | 4.00 |
| | 4 ft. | 5.00 |
| | 5 ft. | 7.50 |
| PINUS—Strobus | 3 ft. | 3.00 |
| | 4 ft. | 5.00 |
| | 6 ft. | 7.50 |
| PINUS—Sylvestris | 5-6 ft. | 7.50 |
| | 7-8 ft. | 10.00 |
| PINUS—Tanyosho | 2-2½ ft. spread | 10.00 |
| | Specimens | 15.00 and up |
| RETINISPORA—Filifera | 1½ ft. | 2.50 |
| | 2 ft. | 3.50 |
| | 3 ft. | 5.00 |
| | 4 ft. | 10.00 |
| RETINISPORA—Filifera Aurea | 1 ft. | 2.50 |
| | 1½ ft. | 3.50 |
| | 2 ft. | 5.00 |
| RETINISPORA—Obtusa | 2 ft. | 2.50 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| RETINISPORA—Obtusa Aurea | 2 ft. | 3.50 |
| | 2½ ft. | 5.00 |
| RETINISPORA—Obtusa Compacta | 2 ft. | 3.50 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| RETINISPORA—Obtusa Compacta Aurea | 2 ft. | 5.00 |
| | 3 ft. | 7.50 |
| RETINISPORA—Obtusa Compacta Nana | 6-9 in. | 2.50 |
| | 12-15 in. | 5.00 |
| RETINISPORA—Pisifera | 2 ft. | 2.50 |
| | 3 ft. | 3.50 |
| | 4 ft. | 5.00 |
| | 5 ft. | 10.00 |
| RETINISPORA—Pisifera Aurea | 2 ft. | 2.50 |
| | 3 ft. | 4.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |
| RETINISPORA—Plumosa | 2 ft. | 3.00 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |

| | <i>Size</i> | <i>Price</i> |
|---|---------------|--------------|
| RETINISPORA—Plumosa Aurea | 2 ft. | \$3.00 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| | 5 ft. | 10.00 |
| RETINISPORA—Plumosa Lutescens | 12 in. | 2.00 |
| | 18 in. | 3.00 |
| RETINISPORA—Squarrosa Veitchi | 1½ ft. | 2.50 |
| | 2 ft. | 3.50 |
| | 3 ft. | 5.00 |
| | 3½ ft. | 7.50 |
| RETINISPORA—Squarrosa Veitchi Nana (diameter) | 4-6 in. | 2.50 |
| | 9-12 in. | 5.00 |
| SCIADOPITYS—Verticillata (Umbrella Pine) | 2 ft. | 5.00 |
| | 2½ ft. | 7.50 |
| | 3 ft. | 10.00 |
| TAXUS—Baccata | 2½ ft. | 5.00 |
| | 3 ft. | 7.50 |
| | 4 ft. | 10.00 |
| TAXUS—Baccata Ahles | 2½ ft. | 5.00 |
| | 3 ft. | 10.00 |
| TAXUS—Baccata Overiender | 2 ft. | 3.50 |
| | 3 ft. | 5.00 |
| TAXUS—Baccata Repandens | 1½ ft. spread | 3.50 |
| | 2 ft. spread | 5.00 |
| TAXUS—Canadensis | 1½ ft. spread | 3.50 |
| | 2 ft. spread | 5.00 |
| TAXUS—Cuspidata | 18 in. | 3.50 |
| | 2 ft. | 5.00 |
| | 2½ ft. | 7.50 |
| TAXUS—Cuspidata Brevifolia | Specimens | 10.00-35.00 |
| | 12 in. | 2.00 |
| | 15 in. | 3.00 |
| | 1½ ft. | 5.00 |
| THUYA—Douglasi Spiralis | 2 ft. | 7.50 |
| | 2-2½ ft. | 3.00 |
| | 3½-4 ft. | 5.00 |
| THUYA—Japonica | 2½ ft. | 3.00 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| THUYA—Koreana (diameter) | 6-9 in. | 2.00 |
| | 9-12 in. | 3.50 |
| | 12-15 in. | 5.00 |
| THUYA—Occidentalis | 2½ ft. | 3.00 |
| | 4 ft. | 5.00 |
| | 5 ft. | 7.50 |
| | 6-7 ft. | 10.00 |
| THUYA—Occidentalis Compacta | 15 in. | 2.00 |
| | 18 in. | 2.50 |
| THUYA—Occidentalis, Geo. Peabody | 2 ft. | 3.00 |
| | 3 ft. | 5.00 |
| THUYA—Occidentalis Globosa | 15 in. | 2.00 |
| | 18 in. | 2.50 |
| | 2 ft. | 5.00 |
| THUYA—Occidentalis Pumila | 15 in. | 2.00 |
| | 18 in. | 2.50 |
| | 2½ ft. | 5.00 |
| THUYA—Occidentalis Pyramidalis | 3 ft. | 3.00 |
| | 4 ft. | 5.00 |
| | 5 ft. | 7.50 |
| THUYA—Occidentalis Rosenthali | 1½-2 ft. | 3.00 |
| | 2½-3 ft. | 5.00 |
| THUYA—Occidentalis Sibirica | 1½ ft. | 2.00 |
| | 2½ ft. | 3.50 |
| | 3 ft. | 5.00 |
| THUYA—Plicata | 2½ ft. | 3.00 |
| | 3 ft. | 5.00 |
| THUYA—Recurva Nana | 1 ft. | 2.00 |
| | 2 ft. | 5.00 |

| | <i>Size</i> | <i>Price</i> |
|----------------------------|-------------|--------------|
| TSUGA—Canadensis | 2½ ft. | \$3.50 |
| | 3½ ft. | 5.00 |
| | 4-5 ft. | 7.50 |
| TSUGA—Canadensis Sargentii | Specimens | 25.00-40.00 |
| | 2½-3 ft. | 5.00 |
| TSUGA—Caroliniana | 3-4 ft. | 10.00 |
| | 2½-3 ft. | 5.00 |
| TSUGA—Sieboldi | 3-4 ft. | 7.50 |
| | 3-4 ft. | 7.50 |
| | 5-6 ft. | 10.00 |

EVERGREEN SHRUBS

HYBRID RHODODENDRONS:

| | | | |
|--------------------|--------------------|-----------------|-------------|
| Abraham Lincoln | Giganteum | | |
| Album Elegans | H. H. Hunnewell | | |
| Album Grandiflorum | H. W. Sargent | | |
| Album Novum | Henrietta Sargent | | |
| Amphion | Ignatius Sargent | | |
| Boule de Neige | Kettle drum | 1½-2 ft. | 5.00 |
| Candidissimum | Lady Armstrong | 2½-3 ft. | 7.50 |
| Catawbiense Alba | Lady Grey Egerton | Specimen plants | 10.00-50.00 |
| Charles Bagley | Madam Carvalho | | |
| Charles Dickens | Mrs. C. S. Sargent | | |
| Delicatissima | Old Port | | |
| Edward S. Rand | Parson's Gloriosum | | |
| Everestianum | Roseum Elegans | | |

NATIVE RHODODENDRONS AND OTHER SPECIES:

| | | |
|----------------------------|--------------------|-------------|
| Maximum | 2 ft. | 3.00 |
| | 3 ft. | 5.00 |
| | 4 ft. | 7.50 |
| Catawbiense | 6-8 ft. | 15.00-25.00 |
| | 1½ ft. | 3.00 |
| | 2½ ft. | 5.00 |
| Carolinianum | 1 ft. | 2.00 |
| | 1½ ft. | 3.00 |
| | 2½ ft. | 5.00 |
| Arbutifolium | 12-15 in. | 2.50 |
| | 18 in. | 5.00 |
| | 12-15 in. | 2.50 |
| Myrtifolium | 18 in. | 5.00 |
| | 12-15 in. | 2.50 |
| | 18 in. | 5.00 |
| ANDROMEDA—Catesbaei | 12-15 in. | 1.00 |
| ANDROMEDA—Floribunda | 18-24 in. | 2.00 |
| | 12-15 in. | 3.00 |
| | 18 in. | 5.00 |
| ANDROMEDA—Japonica | Specimens | 7.50-15.00 |
| | 15 in. | 3.00 |
| | 18 in. | 5.00 |
| AZALEA—Amoena | 12 in. | 2.00 |
| | 18 in. | 5.00 |
| | (diameter) 3-5 ft. | 10.00-25.00 |
| AZALEA—Firefly | 1 ft. | 2.00 |
| | 2 ft. | 5.00 |
| | Specimens | 10.00-25.00 |
| AZALEA—Hinodigiri | 12 in. | 2.00 |
| | 15 in. | 3.50 |
| | 18 in. | 7.50 |
| AZALEA—Hinomayo | 10 in. | 2.50 |
| | 15 in. | 5.00 |
| | 1-1½ ft. | 2.50 |
| AZALEA—Ledifolia Alba | 1½-2 ft. | 5.00 |
| | 1-1½ ft. | 2.50 |
| | 1½-2 ft. | 5.00 |
| AZALEA—Ledifolia Magnifica | 9 in. | 1.50 |
| | 12 in. | 2.00 |
| | 15 in. | 3.00 |
| BERBERIS—Vericulosa | 6-9 in. | 1.00 |
| CALLUNA—Vulgaris (Heather) | | |
| | | |

| | Size | Price |
|------------------------------------|-----------|--------|
| CALLUNA—Vulgaris Alba | 6-9 in. | \$1.00 |
| CALLUNA—Vulgaris Alporti | 6-9 in. | 1.00 |
| CRATAEGUS—Pyracantha (pot grown) | 2½-3 ft. | 2.50 |
| ILEX—Crenata (Holly) | 2-2½ ft. | 5.00 |
| | 3-4 ft. | 7.50 |
| | 5-6 ft. | 15.00 |
| | 3 ft. | 5.00 |
| ILEX—Opaca | 4 ft. | 7.50 |
| ILEX—Aquifolium | 2½ ft. | 5.00 |
| | 3 ft. | 7.50 |
| | 4 ft. | 10.00 |
| ILEX—Crenata Buxifolia | 9 in. | 1.50 |
| | 12-15 in. | 2.50 |
| | 18 in. | 5.00 |
| ILEX—Glabra | 12 in. | 1.00 |
| | 15 in. | 1.50 |
| | 18 in. | 2.50 |
| | 1½-2 ft. | 2.50 |
| KALMIA—Latifolia (Laurel) | 2½-3 ft. | 5.00 |
| | 4 ft. | 10.00 |
| MAHONIA—Aquifolia | 1½ ft. | 1.50 |
| PACHYSANDRA—Terminalis (pot grown) | 2½ ft. | 2.50 |
| | per doz. | 2.50 |
| BUXUS—Sempervirens (BUSHES) | per 100 | 15.00 |
| | 12 in. | 2.00 |
| | 18 in. | 3.00 |
| | 24 in. | 5.00 |
| | 30 in. | 7.50 |
| BUXUS—Sempervirens (PYRAMIDS) | 2½ ft. | 5.00 |
| | 3 ft. | 7.50 |
| | 4 ft. | 10.00 |

DECIDUOUS TREES

| | | |
|--|-----------|-------|
| MAPLES—Acer Platanoides (Norway) (diameter) | 2-2½ in. | 7.50 |
| MAPLES—Acer Saccharum (Sugar) (diameter) | 2½-3 in. | 10.00 |
| | 1½-2 in. | 5.00 |
| JAPANESE MAPLES—Acer Polymorphum Atropurpureum | 2-2½ in. | 7.50 |
| | 2-2½ ft. | 5.00 |
| JAPANESE MAPLES—Acer Polymorphum Atropurpureum Dissectum (diameter) | 2½-3 ft. | 7.50 |
| | 3 ft. | 10.00 |
| HORSE-CHESTNUTS—Aesculus Hippocastanum (diameter) | 5 ft. | 15.00 |
| | 1½-2 in. | 5.00 |
| HORSE-CHESTNUTS—Aesculus Rubicunda (diameter) | 1½-2 in. | 5.00 |
| | 6-7 ft. | 2.50 |
| BIRCHES—Betula Alba | 7-8 ft. | 5.00 |
| BIRCHES—Betula Alba Laciniata | 5-6 ft. | 5.00 |
| BIRCHES—Betula Alba Pendula | 5-6 ft. | 2.50 |
| HORNBEAMS—Carpinus Betulus | 18 in. | 4.00 |
| CATALPA—Bungei (head diameter) | 5-6 ft. | 5.00 |
| FLOWERING CHERRY—Cerasus Avium Flore Pleno | 5-6 ft. | 5.00 |
| FLOWERING CHERRY—Cerasus James H. Veitch | 5-6 ft. | 5.00 |
| FLOWERING CHERRY—Cerasus Japonica Rosea Pendula | 5-6 ft. | 5.00 |
| | 5-6 ft. | 5.00 |
| FLOWERING CHERRY—Cerasus Rosea Plena | 5-6 ft. | 5.00 |
| CERCIDIPHYLLUM—Japonicum | 5-6 ft. | 5.00 |
| | 8-10 ft. | 10.00 |
| | 4-5 ft. | 2.50 |
| CERCIS—Canadensis (Judas Tree) | 6-7 ft. | 5.00 |
| | 3-4 ft. | 2.50 |
| CERCIS—Japonica | 5-6 ft. | 2.50 |
| CLADRASTIS—Tinctoria (Yellow Wood) | 5-6 ft. | 5.00 |
| CORNUS—Controversa (Dogwood) | 5-6 ft. | 5.00 |
| | 10-12 ft. | 15.00 |

| | <i>Size</i> | <i>Price</i> | |
|--|-------------|--------------|------|
| CORNUS—Florida | 5-6 ft. | \$3.50 | |
| | 6-7 ft. | 5.00 | |
| | 9-10 ft. | 10.00 | |
| | 12 ft. | 15.00 | |
| CORNUS—Florida Rubra | 4 ft. | 5.00 | |
| | 5 ft. | 7.50 | |
| | 6 ft. | 10.00 | |
| CORNUS—Kousa | 5 ft. | 5.00 | |
| | 6 ft. | 7.50 | |
| | 8 ft. | 15.00 | |
| CORNUS—Kousa Chinensis | 2½-3 ft. | 5.00 | |
| | 3-4 ft. | 7.50 | |
| | 4-5 ft. | 10.00 | |
| CRATAEGUS—Crus-galli (Hawthorn) | 5-6 ft. | 3.00 | |
| | 7-8 ft. | 5.00 | |
| CRATAEGUS—Oxyacantha | 5-6 ft. | 3.00 | |
| | 7-8 ft. | 5.00 | |
| CRATAEGUS—Coccinea Flore Pleno | 5-6 ft. | 5.00 | |
| | 7-8 ft. | 10.00 | |
| CRATAEGUS—Cordata | 4-5 ft. | 3.00 | |
| | 5-6 ft. | 5.00 | |
| | 7-8 ft. | 7.50 | |
| CRATAEGUS—Coccinioides | } | | |
| CRATAEGUS—Rotundifolia | | 3-4 ft. | 2.50 |
| CRATAEGUS—Nitida | | 4-5 ft. | 3.50 |
| CRATAEGUS—Pentandra | | 5-6 ft. | 5.00 |
| CRATAEGUS—Prunifolia | | | |
| CRATAEGUS—Diffusa | | | |
| CYTISUS—Laburnum (Golden Chain) | 5-6 ft. | 3.00 | |
| FAGUS—Ferruginea (Beech) | 5-6 ft. | 4.00 | |
| | 6-7 ft. | 6.00 | |
| | 7-8 ft. | 10.00 | |
| | 5-6 ft. | 5.00 | |
| FAGUS—Sylvatica | 6-7 ft. | 7.50 | |
| | 7-8 ft. | 10.00 | |
| | 10-12 ft. | 15.00 | |
| FAGUS—Sylvatica Pendula | 5-6 ft. | 5.00 | |
| FAGUS—Sylvatica Purpurea | 7-8 ft. | 10.00 | |
| | 10-12 ft. | 15.00-25.00 | |
| | 6-7 ft. | 3.00 | |
| HALESIA—Tetraptera (Snowdrop Tree) | 8-9 ft. | 5.00 | |
| | 8-10 ft. | 5.00 | |
| KOELREUTERIA—Paniculata (Varnish Tree) | 6-8 ft. | 3.00 | |
| LIQUIDAMBAR—Styraciflua (Sweet Gum) | 8-10 ft. | 4.00 | |
| LIRIODENDRON—Tulipifera (Tulip Tree) | 10-12 ft. | 5.00 | |
| MAGNOLIA—Alexandrina | 3 ft. | 5.00 | |
| | 4 ft. | 7.50 | |
| MAGNOLIA—Conspicua | 3 ft. | 5.00 | |
| | 4 ft. | 7.50 | |
| MAGNOLIA—Lennei | 3 ft. | 5.00 | |
| | 4 ft. | 7.50 | |
| MAGNOLIA—Soulangeana | 3 ft. | 5.00 | |
| | 4 ft. | 7.50 | |
| MAGNOLIA—Stellata | 2-2½ ft. | 5.00 | |
| FLOWERING CRABS—Malus Floribunda | 4 ft. | 3.50 | |
| | 6 ft. | 5.00 | |
| | 7-8 ft. | 10.00 | |
| FLOWERING CRABS—Malus Floribunda Atrosanguinea | 4 ft. | 3.50 | |
| | 6 ft. | 5.00 | |
| | 7-8 ft. | 10.00 | |
| FLOWERING CRABS—Malus Ioensis | 3-4 ft. | 3.50 | |
| | 5-6 ft. | 5.00 | |
| FLOWERING CRABS—Malus Parkmanni | 4 ft. | 5.00 | |
| | 5 ft. | 7.50 | |
| FLOWERING CRABS—Malus Scheideckeri | 3-4 ft. | 3.50 | |
| | 4-5 ft. | 5.00 | |

| | <i>Size</i> | <i>Price</i> |
|--|--------------------|--------------|
| FLOWERING CRABS — <i>Malus Spectabilis</i> | 4-5 ft. | \$3.50 |
| | 6-7 ft. | 5.00 |
| | 7-8 ft. | 10.00 |
| MULBERRY — <i>Morus Pendula</i> | 5 ft. | 4.00 |
| OXYDENDRON — <i>Arboreum</i> | 3-4 ft. | 2.00 |
| | 4-5 ft. | 3.00 |
| | 6-7 ft. | 5.00 |
| FLOWERING PEACH — <i>Persica Clara Meyer</i> | 3-4 ft. | 3.50 |
| | 4-5 ft. | 5.00 |
| FLOWERING PEACH — <i>Persica Amygdalis Vul. Fl.</i> | | |
| | <i>Rosea Plena</i> | |
| | 4-5 ft. | 3.50 |
| | 5-6 ft. | 5.00 |
| PLANES — <i>Platanus Orientalis</i> (diameter) | 2-2½ ft. | 5.00 |
| POPLARS — <i>Populus Nigra Fastigiata</i> | 8-10 ft. | 5.00 |
| | 10-12 ft. | 7.50 |
| FLOWERING PLUM — <i>Prunus Pissardi</i> | 4-5 ft. | 3.00 |
| | 6-7 ft. | 5.00 |
| FLOWERING PLUM — <i>Prunus Tomentosa</i> | 3-4 ft. | 2.00 |
| | 4-5 ft. | 4.00 |
| PTEROSTYRAX HISPIDA | 5-6 ft. | 5.00 |
| | 7-8 ft. | 7.50 |
| OAKS — <i>Quercus Coccinea</i> (diameter) | 1½-2 in. | 5.00 |
| | 2-2½ in. | 7.50 |
| OAKS — <i>Quercus Palustris</i> (diameter) | 1½-2 in. | 5.00 |
| | 2-2½ in. | 7.50 |
| OAKS — <i>Quercus Rubra</i> (diameter) | 1½-2 in. | 5.00 |
| | 2-2½ in. | 7.50 |
| GINKGO — <i>Salisburia Adiantifolia</i> (diameter) | 1½-2 in. | 5.00 |
| | 2-2½ in. | 7.50 |
| WILLOWS — <i>Salix Babylonica</i> (Weeping) | 7-8 ft. | 3.50 |
| | 8-10 ft. | 5.00 |
| WILLOWS — <i>Salix Caprea</i> | 5-6 ft. | 2.00 |
| SOPHORA — <i>Japonica</i> | 5-6 ft. | 5.00 |
| | 7-8 ft. | 7.50 |
| MOUNTAIN ASH — <i>Sorbus Americana</i> | 6-7 ft. | 3.50 |
| MOUNTAIN ASH — <i>Sorbus Aucuparia</i> | 6-7 ft. | 3.50 |
| LINDENS — <i>Tilia Argentea</i> (diameter) | 2-2½ in. | 5.00 |
| LINDENS — <i>Tilia Cordata</i> (diameter) | 2-2½ in. | 5.00 |
| | 3 in. | 10.00 |
| LINDENS — <i>Tilia Dasystyla</i> (diameter) | 2-2½ in. | 5.00 |
| LINDENS — <i>Tilia Vulgaris</i> (diameter) | 2-2½ in. | 5.00 |
| | 3 in. | 10.00 |
| ELMS — <i>Ulmus Americana</i> (diameter) | 1½-2 in. | 5.00 |
| | 2½-3 in. | 10.00 |
| ELMS — <i>Ulmus Scabra Pendula</i> | 6-7 ft. | 5.00 |
| | 7-8 ft. | 7.50 |

FLOWERING SHRUBS

| | | | |
|--|-----------|---------|------|
| ALTHEA—ROSE OF SHARON | | | |
| Boule de Feu | } | | |
| Alba Plena | | | |
| Coelestis | | 3-4 ft. | 1.00 |
| Lady Stanley | | 4-5 ft. | 2.00 |
| Rubis | | | |
| Totus Albus | | | |
| ABELIA — <i>Grandiflora</i> | 1½-2 ft. | 1.00 | |
| | 2½-3 ft. | 2.00 | |
| AMELANCHIER — <i>Botryapium</i> | 4-5 ft. | 2.00 | |
| ARONIA — <i>Arbutifolia</i> (Blue Chokeberry) | 3 ft. | 1.00 | |
| | 4 ft. | 2.00 | |
| ARONIA — <i>Nigra</i> | 3 ft. | 1.00 | |
| AZALEA — <i>Mollis</i> | 12-15 in. | 2.50 | |
| | 18-24 in. | 5.00 | |
| AZALEA — <i>Pontica</i> | 12-15 in. | 2.50 | |
| | 18-24 in. | 5.00 | |
| AZALEA — <i>Ponkhanense</i> | 9-12 in. | 2.50 | |

| | Size | Price |
|--|------------------|------------|
| AZALEA—Schlippenbachii | 6-9 in. | \$3.00 |
| | 9-12 in. | 5.00 |
| AZALEA—Yodagawa | 12-18 in. | 2.00 |
| | 18-24 in. | 3.00 |
| | 24-30 in. | 5.00 |
| | Specimens | 7.50-10.00 |
| AZALEA—Arborescens | 1½ ft. | 2.00 |
| AZALEA—Lutea | 18 in. | 2.00 |
| AZALEA—Vaseyi | 18 in. | 2.00 |
| AZALEA—Viscosa | 2½ ft. | 2.00 |
| BERBERIS—Thunbergi (Barberry) | 1½-2 ft. | .50 |
| | per doz. | 5.00 |
| | per 100 | 40.00 |
| BUDDLEIA—Magnifica | 2-2½ ft. | 1.00 |
| CALCANTHUS—Floridus (Sweet shrub) | 3-4 ft. | 1.00 |
| CHIONANTHUS—Virginica (White Fringe) | 2½-3 ft. | 1.00 |
| CLETHRA—Alnifolia (Sweet Pepper Bush) | 2-3 ft. | 1.00 |
| CORCHORUS—Japonica (Kerria) | 2½-3 ft. | 1.00 |
| CORNUS—Mascula | 3-4 ft. | 1.00 |
| CORNUS—Sibirica | 3-4 ft. | 1.00 |
| CORNUS—Sibirica Aurea | 3-4 ft. | 1.00 |
| CORYLOPSIS—Pauciflora | 1½-2 ft. | 2.00 |
| CORYLOPSIS—Spicata | 2½ ft. | 2.00 |
| HAZELS—Corylus Americana | 3-4 ft. | 1.00 |
| COTONEASTER—Acutifolia Villosula | } | 2.00 |
| COTONEASTER—Dielsiana | | |
| COTONEASTER—Multiflora Calocarpa | | |
| COTONEASTER—Nitens | | |
| COTONEASTER—Simonsi | | |
| COTONEASTER—Zabelli | | |
| COTONEASTER—Wilsoni | 12-15 in. spread | 1.50 |
| COTONEASTER—Wilsoni Perpusila | 9-12 in. spread | 1.50 |
| COTONEASTER—Horizontalis | 12-15 in. spread | 1.50 |
| COTONEASTER—Microphylla | 9-12 in. spread | 1.50 |
| COTONEASTER—Microphylla Thymnifolia | 9-12 in. spread | 1.50 |
| JAPANESE QUINCE—Cydonia Japonica | 2-2½ ft. | 1.00 |
| DESMODIUM—Penduliflora | 1½-2 ft. | 1.00 |
| DEUTZIA—Crenata | 3-4 ft. | 1.00 |
| DEUTZIA—Gracilis | 1-1½ ft. | 1.00 |
| DEUTZIA—Lemoinei | 1½-2 ft. | 1.00 |
| JAPANESE OLEASTER—Elaeagnus Longipes | 2-3 ft. | 1.00 |
| ENKIANTHUS—Campanulatus | 2-2½ ft. | 2.50 |
| EUONYMUS—Alatus | 2½-3 ft. | 2.00 |
| | 5-6 ft. | 5.00 |
| | 3-4 ft. | 1.00 |
| EXOCHORDA—Grandiflora | | |
| FORSYTHIA—Fortunei | } | 1.00 |
| FORSYTHIA—Suspensa | | |
| FORSYTHIA—Viridissima | | |
| HYDRANGEA—Arborescens Grandiflora Alba | 2-3 ft. | 1.00 |
| HYDRANGEA—Paniculata Grandiflora | 2-3 ft. | 1.00 |
| | Standards | 2.50 |
| ILEX—Verticillata | 3-4 ft. | 1.00 |
| LEUCOTHOE—Racemosa | 2½-3 ft. | 2.00 |
| LEUCOTHOE—Speciosa | 2½ ft. | 2.00 |
| LIGUSTRUM—Amurense (Privet) | 3-4 ft. | 1.00 |
| LIGUSTRUM—Ibota | 3-4 ft. | 1.00 |
| LIGUSTRUM—Ibota Regelianum | 2-3 ft. | 1.00 |
| LIGUSTRUM—Vulgare | 3-4 ft. | 1.00 |
| LIGUSTRUM—Ovalifolium | 3 ft. | .25 |
| | per doz. | 3.00 |
| | per 100 | 12.00 |
| LIGUSTRUM—Ovalifolium Aureum | 1½-2 ft. | .50 |
| LINDERA—Benzoin | 3-4 ft. | 1.00 |
| LONICERA—Fragrantissima (Honeysuckle) | } | 1.00 |
| LONICERA—Morrowi | | |
| LONICERA—Standishi | | |
| LONICERA—Tatarica | | |

| | <i>Size</i> | <i>Price</i> |
|---------------------------------------|-------------|--------------|
| MYRICA—Cerrifera | 2-2½ ft. | \$1.00 |
| | 3-4 ft. | 2.00 |
| MOCK ORANGE—Philadelphus Avalanche | 3-4 ft. | 1.00 |
| MOCK ORANGE—Philadelphus Coronarius | 3-4 ft. | 1.00 |
| MOCK ORANGE—Philadelphus Grandiflorus | 3-4 ft. | 1.00 |
| MOCK ORANGE—Philadelphus Lemoinei | 3-4 ft. | 1.00 |
| MOCK ORANGE—Philadelphus Mont Blanc | 2-3 ft. | 1.00 |
| MOCK ORANGE—Philadelphus Virginal | 3 ft. | 1.50 |
| PHOTINIA—Villosa | 4-5 ft. | 2.50 |
| | 6-7 ft. | 5.00 |
| RHODOTYPOS—Kerrioides (White Kerria) | 3-4 ft. | 1.00 |
| SPIREA—Anthony Waterer | 1½-2 ft. | 1.00 |
| SPIREA—Prunifolia Flore Pleno | 3-4 ft. | 1.00 |
| SPIREA—Reevesiana | 3-4 ft. | 1.00 |
| SPIREA—Thumbergi | 3-4 ft. | 1.00 |
| SPIREA—Van Houttei | 3-4 ft. | 1.00 |
| STEPHANANDRA—Flexuosa | 2-3 ft. | 1.00 |
| STYRAX—Japonica | 3-4 ft. | 2.00 |
| SYMPHORICARPOS—Racemosus | 2-3 ft. | 1.00 |
| SYMPHORICARPOS—Vulgaris | 2-3 ft. | 1.00 |
| VACCINIUM—Corymbosum (Huckleberry) | 2-3 ft. | 2.00 |
| VIBURNUM—Acerifolium | 3-4 ft. | 1.00 |
| VIBURNUM—Carlesi | 1-1½ ft. | 2.50 |
| | 2-2½ ft. | 5.00 |
| VIBURNUM—Dentatum | 3-4 ft. | 1.00 |
| VIBURNUM—Dilatatum | 2-2½ ft. | 1.00 |
| | 3-4 ft. | 2.00 |
| VIBURNUM—Lantana | 3-4 ft. | 1.00 |
| VIBURNUM—Lentago | 3-4 ft. | 1.00 |
| VIBURNUM—Opulus | 3-4 ft. | 1.00 |
| VIBURNUM—Opulus Sterile | 2½-3 ft. | 1.00 |
| VIBURNUM—Plicatum | 2-2½ ft. | 1.00 |
| | 3-4 ft. | 2.00 |
| | 5-6 ft. | 5.00 |
| VIBURNUM—Plicatum Tomentosum | 2½-3 ft. | 1.00 |
| | 4-5 ft. | 2.00 |
| | 5-6 ft. | 5.00 |
| VIBURNUM—Prunifolium | 2½-3 ft. | 1.00 |
| | 3-4 ft. | 2.00 |
| | 6-8 ft. | 5.00-10.00 |
| VIBURNUM—Sieboldi | 2½-3 ft. | 2.00 |
| VIBURNUM—Theifera | 2½-3 ft. | 5.00 |
| WEIGELA—Candida | 3-4 ft. | 1.00 |
| WEIGELA—Eva Rathke | | |
| WEIGELA—Rosea | | |
| WEIGELA—Rosea Variegata | | |

HYBRID LILACS

SINGLE VARIETIES:

| | | | |
|-----------------------|-----------------------|-------|------|
| Congo | Milton | | |
| Danton | Mirabeau | | |
| Dr. Charles Jacob | Montgolfier | | |
| Dr. Lincoln | Pasteur | | |
| Hugo Koster | Philemon | 3 ft. | 3.50 |
| J. D. Messmaker | President Lambeau | 4 ft. | 5.00 |
| Lamartine | Reamur | 5 ft. | 7.50 |
| Leon Gambetta | Rcine Elizabeth | | |
| Leon Mathieu | Roi Albert | | |
| Leopold II | Souv. de Louis Spaeth | | |
| Mme. Florent Stepman | Souv. de Henry Simon | | |
| Mme. Francisque Morel | Toussaint-Louventure | | |
| Marceau | Van Aerschot | | |
| Marie Legraye | Vestale | | |

DOUBLE VARIETTES:

| | <i>Size</i> | <i>Price</i> |
|----------------------|-------------|--------------|
| Belle de Nancy | | |
| Charles Baltet | | |
| Charles Joly | | |
| Charles Sargent | | |
| Condorcet | | |
| Comtesse de Kerchova | | |
| De Saussure | | |
| Duc de Massã | | |
| Edouard Andre | 3 ft.. | \$3.50 |
| Georges Bellair | 4 ft. | 5.00 |
| Hippolyte Maringer | 5 ft.. | 7.50 |
| Jeanne d'Arc | | |
| Jules Ferry | | |
| Jules Simon | | |
| La Tour d'Auvergne | | |
| Lemoinei Flore Pleno | | |
| Linne | | |
| Louis Henry | | |
| Mme. A. Chatenay | | |

COMMON LILAC AND SPECIES:

| | | |
|-----------------------|--|--|
| SYRINGA—Vulgaris | | |
| SYRINGA—Vulgaris Alba | | |
| SYRINGA—Rothomagensis | | |
| SYRINGA—Persica | | |

LATE FLOWERING LILACS

| | | |
|------------------|-----------|------|
| SYRINGA—Josikaea | 3-4 ft.. | 2.00 |
| SYRINGA—Villosa | 3-4 ft. | 2.00 |
| SYRINGA—Wilsoni | 2½-3 ft.. | 2.00 |
| SYRINGA—Wolfe | 2½-3 ft. | 2.00 |
| SYRINGA—Reflexa | 3-4 ft. | 3.00 |

TREE LILACS:

| | | |
|------------------|---------|-------|
| SYRINGA—Japonica | 4-5 ft. | 3.00 |
| | 5-6 ft. | 5.00 |
| | 7-8 ft. | 10.00 |

VINES AND CLIMBING PLANTS

| | | |
|-----------------------------|----------|------|
| ACTINIDIA—Arguta | each | 1.00 |
| AKEBIA—Quinata | each | 1.00 |
| AMPELOPSIS—Lowi | each | 1.00 |
| AMPELOPSIS—Quinquefolia | each | .50 |
| AMPELOPSIS—Engelmanni | each | .50 |
| AMPELOPSIS—Veitchi | each | .75 |
| BIGNONIA—Grandiflora | each | 1.00 |
| CELASTRUS—Scandens | each | 1.00 |
| CLEMATIS—Henryi | | |
| CLEMATIS—Jackmani | | |
| CLEMATIS—Mme. Edouard Andre | each | 1.00 |
| CLEMATIS—Montana Rubens | | |
| CLEMATIS—Paniculata | | |
| EUONYMUS—Radicans | each | .50 |
| EUONYMUS—Vegetus | each | .50 |
| ENGLISH IVY— | per doz. | 5.00 |
| | each | 2.00 |
| HYDRANGEA—Petiolaris | each | 1.00 |
| JASMINUM—Nudiflorum | | |
| LONICERA—Chinensis | each | .50 |
| LONICERA—Halliana | each | 1.00 |
| POLYGONUM—Auberti | | |
| WISTERIA—Chinensis | 2 year | 1.50 |
| WISTERIA—Chinensis Alba | 4 year | 2.50 |
| WISTERIA—Multijuga | 6 year | 5.00 |
| WISTERIA—Multijuga Alba | | |